







## Certificate list

|   | Alloc AS  |  Class 34 |  Class 33 |  Class 33 |  Class 32 |  Class 32 |  Class 32 |
|---|-----------|--|--|--|--|--|--|
| <b>Alloc AS – Quality certificate</b>     | ISO 9001  | n/a  | n/a  | n/a  | n/a  | n/a  | n/a  |
| <b>Alloc AS – Environment certificate</b> | ISO 14001 | n/a  | n/a  | n/a  | n/a  | n/a  | n/a  |
| <b>External certification EN 13329</b>    | n/a       | Class 34   | Class 33   | Class 33   | Class 32   | No   | No   |
| <b>CELQ classification approval</b>       | n/a       | Class 33   | Class 33   | Class 33   | Class 32   | No   | No   |
| <b>Fire class EN 13501-1</b>              | n/a       | B <sub>fl</sub> – s1   | B <sub>fl</sub> – s1   | B <sub>fl</sub> – s1   | C <sub>fl</sub> – s1   | C <sub>fl</sub> – s1   | E <sub>fl</sub> – s1   |
| <b>Formaldehyde, emission EN 717-1</b>    | n/a       | E1   | E1   | E1   | E1   | E1   | E1   |
| <b>Static electricity EN 1815</b>         | n/a       | Antistatic. Environment class 2  | Antistatic. Environment class 2  | Antistatic. Environment class 2  | Isolating. Environment class 3   | Isolating. Environment class 3   | Isolating. Environment class 3   |
| <b>Slip resistant EN 13893</b>            | n/a       | Yes  | Yes  | Yes  | Yes  | Yes  | Yes  |
| <b>Environmental certification</b>        | n/a       | No   | No   | No   | No   | No   | No   |
| <b>Recommended by NAAF*)</b>              | Yes       | Yes  | Yes  | Yes  | Yes  | No   | Yes  |

\*) Norges Astma- og Allergi Forbund (Norwegian Asthmatic and Allergic Organisation)