








Certificate list

	Alloc AS	 Class 34	 Class 33	 Class 33	 Class 32	 Class 32	 Class 32	 Class 32
Alloc AS – Quality certificate	ISO 9001	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Alloc AS – Environment certificate	ISO 14001	n/a	n/a	n/a	n/a	n/a	n/a	n/a
External certification EN 13329	n/a	Class 34	Class 33	Class 33	Class 32	No	No	No
CELQ classification approval	n/a	Class 33	Class 33	Class 33	Class 32	No	No	No
Fire class EN 13501-1	n/a	B _{fl} – s1	B _{fl} – s1	B _{fl} – s1	C _{fl} – s1	C _{fl} – s1	E _{fl}	E _{fl}
Formaldehyde, emission EN 717-1	n/a	E1	E1	E1	E1	E1	E1	E1
Static electricity EN 1815	n/a	Antistatic. Environment class 2	Antistatic. Environment class 2	Antistatic. Environment class 2	Isolating. Environment class 3	Isolating. Environment class 3	Isolating. Environment class 3	Isolating. Environment class 3
Slip resistant EN 13893	n/a	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Environmental certification	n/a	FSC	No	No	No	No	No	No
Recommended by NAAF*)	Yes	Yes	Yes	Yes	Yes	No	Yes	No

*) Norges Astma- og Allergi Forbund (Norwegian Asthmatic and Allergic Organisation)